Metamark 7 Series

High Performance Calendered Sign Vinyl



Product Description

Metamark 7 Series is a high performance calendered vinyl developed for computer-cut graphics for vehicles, window decals, and long term applications onto flat or slightly curved surfaces. The soft handle 70 micron face film offers ease of weeding, while the high grade solvent based adhesive allows wet application and clean removal. Exterior durability is 8 years for black and white, 7 years for colours and 5 years for metallic colours. M7-100 White Gloss and M7-101M White Matt have a blue contrast liner.

Features & Benefits

- Premium Grade Plotter Vinyl
- Apex[®] permanent Solvent based adhesive for clean removability.
- Metasure warranty up to 8 years.

- Available with Metascape[®] air release.
- Contemporary colour range of 90 colours.
- Engineered to give long term dimensional stability.

Face Film	Polymeric calendered PVC	Finishes Available	87 Gloss and 3 Matt	
Gauge	70 micron nominal	Durability		
Adhesive		Shelf Life	2 years. (10-20°C and 50% R.H).	
Type Adhesion to glass 20 mins Adhesion to glass 24 hour Perceived Tack	Permanent solvent-based acrylic 15N/25mm nominal 20N/25mm nominal Medium	External weathering	8 years for black and white, 7 years for colours and 5 years for metallic ; in vertical exposure under northern European conditions.	
Shear Strength Application temperature Service temperature	Medium to High +10°C to +50°C -30°C to +110°C	Fire Rating	Class B - BS EN 13501-1:2007 Class 0 - BS 476 pt7 (glass + Painted 3mm Aliminium)	
Release Liner		Chemical Resistance	Resistant to mineral oils, fats and	
Print Weight Type	Metamark 7 Series in Purple print 135 gsm nominal Solventless, clay coated, layflat Kraft		fuels, aliphatic solvents, mild acids, sa and alkali for e.g. diesel oil, gasoline, paraffin, hydraulic oil, antifreeze, soap suds etc.	
		Regulations	REACH & RoHS compliant	
Application				
 ideal for use on external applications including vehicle graphics and exterior sign applications. Suitable for plotter use, also for contour and vinyl lettering. Suitable for wet or dry application. 		 Some Yellows and Tangerine are not suitable for use on darker Substrates due to low opacity. Not recommended for use on low energy surfaces such as polypropylene. 		

- Apply unstressed, in particular to curves and recesses. It is not suitable for application over rivets or complex recesses.
- The user should determine suitability of substrate.

MetaSure® Warranty

Metamark (UK) Limited warrants to its customers that completed decorative markings which utilise Metamark SignVinyl will remain in good condition without excessive fading or colour degradation for the specified life time of each material when correctly stored and applied in accordance with procedures outlined in the technical literature. If within the specified years of normal use Metamark SignVinyl becomes ineffective for its intended use, then Metamark will provide sufficient material to produce a new replacement marking, and will also, at its own discretion, contribute an allowance towards the costs involved in replacing the graphics. Please Note: The above data is given in good faith to provide an indication of the performance of the product. Purchasers should consider the suitability of each product for its intended use and the purchaser assumes all risks in connection with such use. Seller shall not be liable for damages in excess of the purchase price of the product nor for incidental nor consequential loss.

Metamark (UK) Limited

Luneside • New Quay Road • Lancaster • LA1 5QP • Tel +44 (0)1524 387140 • Fax +44 (0)1524 387147

D Metamark House • Octimum Business Park • Forsyth Road • Woking • GU21 5SF • Tel +44 (0)1483 571111 • Fax =44 (0)1483 570540

sales@metamark.co.uk www.metamark.co.uk



Metamark Crystal, Dusted and Silver Etch



Product Description

Metamark Crystal Etch, Dusted Etch and Silver Etch films are polymeric calendered etch effect vinyls, specially formulated for producing fine window decals and manifestation. The 70 micron film and high quality release liner and adhesive provide fast cutting and easy weeding on all computerised sign making equipment. The vinyl is resistant to most mineral oils, fats and fuels, aliphatic solvents, mild acids, diesel, gasoline, paraffin, hydraulic oil, antifreeze, soap suds etc.

Typical Applications

- For computer-cut etched glass effect graphics, and window manifestation.
- Crystal Etch offers a subtle glitter effect, Silver Etch is suitable for decals where a higher level of opacity is required, while Dusted Etch provides a higher level of transparency for more subtle window markings.

Application Guidelines

- Suitable for wet application.
- Not suitable for use on Polycarbonate. Application between two sheets of glass is not recommended.
- Refer to www.metamark.co.uk/technical for further advice on application to glass.

Face Film		Release Liner		
Face Film: Gauge: Tensile Strength	Polymeric matt calendered PVC 70 micron nominal 47N/25mm MD / 43N/25mm TD	Туре	An advanced specially treated layflat kraft paper with high internal strength and PE coating	
Elongation at break	180% MD nominal	Gauge	145mym nominal	
Shrinkage	-0.5% MD, -0.2% TD	Weight	140 gsm nominal	
Adhesive		Finishes		
Type Weight Adhesion to glass 20 mins Adhesion to glass 24 hour	Permanent solvent-based adhesive 22gsm nominal 15N/25mm nominal 20N/25mm nominal	Finishes Available	M7-CR Crystal Etch M7-DE Dusted M7-SE Silver Etch	
Perceived tack	Medium	Durability		
Shear strength	Medium to High			
Application temperature	+5°C to +60°C	Shelf Life	1 year	
Service temperature	-30°C to +110°C	External weathering	7 years in vertical exposure under Northern European conditions	
Light Transmission		Fire Rating	Class B. Classification compliant with BS FN 13501-1:2007	
Dusted Etch	88%	Chemical Resistance	Resistant to mineral oils, fats and	
Silver Etch	56%		fuels, aliphatic solvents, mild acids,	
Crystal Etch	57%		salt and alkali for e.g. diesel oil, gasoline, paraffin, hydraulic oil, antifreeze, soap suds etc.	

Warranty: Metamark (UK) Limited warrants to its customers that completed decorative markings which utilise Metamark SignVinyl will remain in good condition without excessive fading or colour degradation for the specified life time of each material when correctly stored and applied in accordance with procedures outlined in the technical literature. If within the specified years of normal use Metamark SignVinyl becomes ineffective for its intended use, then Metamark will provide sufficient material to produce a new replacement marking, and will also, at its own discretion, contribute an allowance towards the costs involved in replacing the graphics. **Please Note:** The above data is given in good faith to provide an indication of the performance of the product. Purchasers should consider the suitability of each product for its intended use and the purchaser assumes all risks in connection with such use. Seller shall not be liable for damages in excess of the purchase price of the product nor for incidental nor consequential loss.

Metamark (UK) Limited

Luneside • New Quay Road • Lancaster • LA1 5QP • Tel +44 (0)1524 387140 • Fax +44 (0)1524 387147

D Metamark House • Octimum Business Park • Forsyth Road • Woking • GU21 5SF • Tel +44 (0)1483 571111 • Fax =44 (0)1483 570540

sales@metamark.co.uk www.metamark.co.uk



Metamark 7 Series

High Performance Calendered Sign Vinyl







Premium grade high performance calendered vinyl, developed for computer-cut graphics for vehicles, window decals, and long-term applications onto flat or slightly curved surfaces.

Colours shown for visual representation are intended as a guide only.



